DiskStation DS124



Brand: Synology

Product Code: DS124

Availability: 7 **Weight:** 0.70kg

Dimensions: 166.00mm x 71.00mm x

224.00mm

Price: 12,000.00EGP

Short DescriptionSynology 1 Bay DiskStation DS124

Description

Take command of your most important data



Secure private cloud

Anywhere, anytime secure access to all your data.



Data sharing made easy

Streamline teamwork and access to shared files.



Hassle-free backups

Effortlessly protect files using intuitive tools.

Productivity in the private cloud

DS124 is designed for professionals to share, sync, and work together more efficiently.

Anytime, anywhere access

Access, manage, and share your files and media from anywhere with Synology Drive. Available on PC, Mac, Linux, Chromebook, Android, iOS, or any device equipped with a browser.



Intelligent backup and syncing

Safeguard against ransomware attacks or accidental deletion with real-time or scheduled

folder backups. Reduce local storage use with on-demand sync, only downloadir as needed.	ng files
Seamless cloud syncing	
Synchronize files between your DS124 and public cloud services using Synology Sync. Retain local backup copies of data stored on Google Drive, Dropbox, Mic OneDrive, and more, and ensure data ownership.	
20.274	

Automatically keep data synchronized between Synology systems in different locations with Synology Drive ShareSync to improve cross-site workflows.		
Store, share, and protect		
Use your DS124 to manage all your documents, photos, and other files, or protect your physical assets with professional video surveillance.		

Photo management


	Manage	your	photo	col	lection
--	--------	------	-------	-----	---------

Organize your photos and videos with smart and intuitive features. Browse automatically generated albums using facial recognition, geolocation, tags, and more.

Sharing made safer and easier

Securely share media with others while leveraging enhanced privacy features for greater peace of mind. Create a Shared Space to work together with invitees using a folder-based media library.

Wide compatibility
Choose from over 8,300 IP cameras or ONVIF devices compatible with Synology Surveillance Station to keep your premises secure. 1
Universal access
Watch live camera streams through web browsers, desktop clients, or mobile apps. Get notified of events and take immediate action.



Keep your data safe with snapshots
Take your data protection to the next level by creating automatic point-in-time snapshots of shared folders that can be copied off-site and rapidly restored using Snapshot Replication.
W6511

Software

DSM Specifications

Storage Management Maximum Single 108 TB

Volume Size

Maximum Internal 1

Volume Number

SSD TRIM

Supported RAID

Type **Notes** • Basic

• Usable capacity for each volume will be lower than the maximum volume size and is dependent on the filesystem and the amount of system metadata stored.

• Actual maximum storage pool and volume sizes depend on drive sizes used, the number of drive bays available, and the RAID configuration.

Internal Drives File System

• Btrfs

• ext4

• Btrfs

• ext4

• ext3

FAT

NTFS

• HFS+

exFAT

File Protocol

• SMB

AFP

NFS

FTP

• WebDAV

• Rsync

Maximum Concurrent 200

SMB/AFP/FTP

Connections

Windows Access

Control List (ACL)

Integration

File Services

External Drives

NFS Kerberos Authentication

Notes The testing standard was based on the

maximum number of concurrent connections supported by this model. During the testing,

25% of the connections were used to transfer files concurrently. The transfer process guaranteed that the connections were not interrupted; the minimum transfer

speed was not guaranteed.

Account & Shared Maximum Local User 1,024

Folder Accounts

Maximum Local 256

Groups

Maximum Shared 256

Folder

Maximum Shared 4

Folder Sync Tasks

<u>Hyper Backup</u> Data & Folder

Backup

<u>Log Center</u> Syslog Events per

Second

General Supported Protocols

Specifications

SMB1 (CIFS), SMB2, SMB3, NFSv3,

NFSv4, NFSv4.1, NFS Kerberized sessions,

iSCSI, HTTP, HTTPs, FTP, SNMP, LDAP,

CalDAV

400

Supported Browsers • Chrome

• Firefox

• Edge

• Safari

Supported Language English, Deutsch, Français, Italiano,

Español, Dansk, Norsk, Svenska, Nederlands, ???????, Polski, Magyar, Português do Brasil, Português Europeu, Türkçe, ?eský, ??????, ???, ???, ????,

????

Notes For an updated list of supported browser

versions, check the DSM Technical

Specifications.

Add-on Packages view the complete package list

Synology Chat

Download Station Maximum Concurrent 80

Download Tasks SAN Manager Maximum iSCSI 10 Target Number 10 Maximum LUN LUN Clone/Snapshot, Windows ODX Media Server **DLNA** Compliance Synology Photos **Facial Recognition Snapshot Replication** Maximum Snapshots 256 per Shared Folder Maximum of System 4,096 **Snapshots Default Licenses** Surveillance Station 2 (Additional cameras require purchase of licenses) • 720p: 12 channels, 360 FPS Suggested Maximum IP Cameras and Total • 1080p: 12 channels, 300 FPS FPS (H.264) • 3M: 12 channels, 200 FPS • 5M: 12 channels, 140 FPS • 4K: 9 channels, 90 FPS Suggested Maximum • 720p: 12 channels, 360 FPS IP Cameras and Total • 1080p: 12 channels, 360 FPS • 3M: 12 channels, 240 FPS FPS (H.265) • 5M: 12 channels, 200 FPS • 4K: 12 channels, 140 FPS Performance figures are obtained Notes from testing conducted with the device fully populated with drives, with their default memory configuration, and under a continuous recording setup. Actual system capabilities may vary based on configuration, drive performance, enabled features, and the presence of additional workloads. • Use <u>NVR Selector</u> to quickly find a suitable model based on your requirements. • The maximum number of camera

Synology Drive Recommended 200 (the number of connections that can be

stream outputs is 2 times the

cameras.

suggested maximum number of IP

Number of
Concurrent Sync
Clients

maintained when the recommended number of hosted files was reached)

Recommended Number of Hosted Files

500,000 (applies to files indexed or hosted by Synology Drive. For file access through other standard protocols, refer to the File Services section above)

Notes

- Exceeding the recommended numbers above will not block application operations, but may result in longer response time.
- Btrfs file system and non-encrypted shared folders were used during the aforementioned testing.

Synology Office

Suggested Maximum 500

Users

Suggested Concurrent 200

Users

Notes

- Multiple files were opened for testing and each file was edited by 30 users simultaneously.
- Client performance may affect maximum simultaneous editing users. Client PCs used for testing: Intel Core i3-3220 / 8GB RAM

VPN Server

Maximum

20

Connections

Specification

ealtek RTD1619B
ealtek RTD1619B
-bit
7 GHz
ES
GB DDR4 non-ECC
5 / 2.5 SATA - SSD

System Fan	60 mm x 60 mm x 1 pcs
Power Supply Unit /	36 watts 100V to 240V AC 50/60 Hz, Single Phase
Adapter	

Product Gallery







